




COMMENTS:

DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994  
SURFACE TEXTURE PER ANSI/ASME B46 1 -1985

UNLESS OTHERWISE SPECIFIED:

- ALL DIMENSIONS IN mm
- GENERAL TOLERANCES  
LINEAR: +/- 0.1  
ANGULAR: +/- 0.5 DEG
- PRODUCT DIMENSIONS SUBJECT TO CHANGE

0.15 / 300



Ø9 THRU,  
Clearance Holes for M8 Screws  
4 per stator

Drilled to Ø3.8mm  
Reamed to Ø4mm  
2 per stator

221, M8 Screws

232, Dowel Pins

240, Stator Pitch

	NAME
DRAWN	Graham Williamson
CHECK	Scott Parks

TITLE:  
**S3A Stator  
Mounting Template**

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PLANAR MOTOR INCORPORATED AND ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PLANAR MOTOR INCORPORATED IS PROHIBITED.

**MATERIAL:**  
**Aluminum or Non-Magnetic Stainless Steel**

SIZE	DWG. NO.	REV.
<b>A</b>	<b>MP3-04</b>	00

Don't scale Sheet 1 of 2

Projection




COMMENTS:

DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994  
SURFACE TEXTURE PER ANSI/ASME B46 1 -1985

UNLESS OTHERWISE SPECIFIED:

- ALL DIMENSIONS IN mm
- GENERAL TOLERANCES  
LINEAR: +/- 0.1  
ANGULAR: +/- 0.5 DEG
- PRODUCT DIMENSIONS SUBJECT TO CHANGE



	NAME
DRAWN	Graham Williamson
CHECK	Scott Parks

TITLE:

### Stator S3A Min. Cutout Requirements

**MATERIAL:**  
**Aluminum or**  
**Non-Magnetic**  
**Stainless Steel**

SIZE	DWG. NO.	REV.
<b>A</b>	<b>MP3-04-CUT</b>	00

Don't scale	Sheet 2 of 2
-------------	--------------

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PLANAR MOTOR INCORPORATED AND ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PLANAR MOTOR INCORPORATED IS PROHIBITED.